

Mix & Match Comparisons

Ratings - Frogeye leaf spot(FLS), Target spot(TS), Septoria brown spot(SBS), Phytotoxicity (Phyto)

2018 - 3 locations

Frogeye leaf spot rating	Variety	FLS	TS	Phyto	Yield	
Resistant	Pioneer 44A72	0 b	0 b	3.6 a	49.1	
Mod. Susceptible	Pioneer 46T30	1.5 b	4.6 a	1.6 b	47.6	
Susceptible	Pioneer 40T26	4.4 a	3.6 a	2.6 ab	47.7	
<u>2019 - 2 locations</u>			<u>2020 - 1 location</u>			
	Variety	FLS	Phyto	Yield	Variety	
Resistant	44A72	0 c	2.2 a	48.6 b	44A72	0.1 c
Mod. Susceptible	48A60	4 b	0.4 b	52.5 a	43A42	1.7 b
Susceptible	45A19	8 a	0.6 b	51.1 ab	48A60	4.5 a
						0.1 b

Treatments	fl oz/a	Activie Ingredients and FRAC Groups-Codes
Quadrис+Tilt	6+4	Azoxystrobin (Qo1-11), Propiconazole (DMI-3)
Quadrис+Tebu Star	6+4	Azoxystrobin (Qo1-11), Tebuconazole (DMI-3)
Topguard EQ (2018+2019)	5	Azoxystrobin (Qo1-11), Flutriafol (DMI-3)
Miravis Top (2020)	13.7	Adepidyn/Pydiflumetofen (SDHI-7), Difenoconazole (DMI-3)
Topsin+Tilt (2018)	20+4	Thiophanate methyl (MBC-1), Tebuconazole (DMI-3)
Quadrис Top SBX (2019)	7	Azoxystrobin (Qo1-11), Difenoconazole (DMI-3)
Revytek (2020)	8	Fluxapyroxad (SDHI-7), Pyraclostrobin (Qo1-11), Revysol/Mefentrifluconazole (DMI-3)
Acropolis	20	Thiophanate methyl (MBC-1), Tetraconazole (DMI-3)

2018		P40T26 - Susc.		P46T30-Mod. S		P44A72- Resist.		Avg. Yield
Across 3 locations		FLS	Yield	FLS	Yield	FLS	Yield	
Non-treated check	9.8 a	47.3		2.4	46.8	0	47.4	47.2
Topsin+Tilt	3.6 b	48.9		0.9	47.0	0	46.0	46.9
Quadrис+Tilt	4.3 b	46.1		0.9	46.6	0	50.2	48.0
Acropolis	3.2 b	46.5		0.9	47.0	0	48.9	48.0
Quadrис+Tebu Star	3.7 b	45.9		3.2	47.6	0	49.2	48.5
Topguard EQ	1.6 b	47.5		0.6	46.2	0	48.7	48.9

2019		P45A19 - Susc.		P48A60-Mod. S		P44A72-Resist.		Avg. Yield
Across 2 locations		FLS	Yield	FLS	Yield	FLS	Yield	
Non-treated check	17 a	47.2 c		10 a	50.4	0	46.0	47.9
Quadrис + Tilt	6 b	50.1 bc		4 b	54.9	0	51.5	52.2
Quadrис + Tebu Star	8 b	50.1 bc		4 b	51.2	0	45.0	48.8
Topguard EQ	4 b	48.7 bc		2 b	51.9	0	48.9	49.8
Quadrис Top SBX	6 b	56.7 a		2 b	50.6	0	50.4	52.6
Acropolis	7 b	53.9 ab		2 b	55.7	0	49.9	53.2

2020		48A60 - Susc.		43A42-Mod. S		P44A72-Resist.		
Across 1 locations		FLS	SBS	FLS	SBS	FLS	SBS	
Non-treated check	14.3 a	12.5		3.8 a	10 ab	0	21.3 a	
Quadrис+Tilt	3.0 b	11.5		1.5 ab	14.3 a	0	11.8 b	
Quadrис+Tebu Star	4.3 b	8.8		1.3 ab	6.5 ab	0	10 bc	
Miravis TOP	1.3 b	4.5		0.5 b	4.3 b	0	3.8 c	
Revytek	1.3 b	8.5		0.6 b	2.3 b	0	4.3 c	
Acropolis	2.8 b	11.0		2.3 ab	7.0 ab	0	7.5 bc	

values in same column with different letter indicates statistical differences at p&lt;0.05