

UNITED STATES DEPARTMENT OF AGRICULTURE NATIONAL AGRICULTURAL STATISTICS SERVICE



Tennessee Crop Weather

Tennessee Field Office • PO Box 41505 • Nashville, TN 37204 • (615) 781-5300 or (615) 891-0903 • www.nass.usda.gov

Issued Monday 3:00 PM; July 23, 2018

For the Week Ending July 22, 2018

STATES CROPS IN MOSTLY GOOD CONDITION

The State's crops are in mostly good condition though rains have been spotty even within counties, causing top and sub-soil moistures to start decreasing. The tremendous amount of rain earlier in the season has helped with current soil moisture levels. Some tobacco is starting to be cut and pastures are in mostly good condition.

There were 5.4 days suitable for field work. Topsoil was 5 percent very short, 21 percent short, and 69 percent adequate, and 5 percent surplus. Subsoil moisture was 5 percent very short, 20 percent short, 73 percent adequate, and 2 percent surplus.

| CROP PROGRESS | | | | | CONDITION | | | | | |
|---------------|--------------------------------------|---|--|--|--|--|---|---|--|--|
| This Week | Last Week | 2017 | 5 Year Avg. | Item | Very Poor | Poor | Fair | Good | Excellent | |
| Percent | | | | | Percent | | | | | |
| 95 | 91 | 95 | 91 | Corn | 1 | 4 | 11 | 50 | 34 | |
| 64 | 41 | 52 | 45 | Tobacco | 0 | 1 | 15 | 72 | 12 | |
| 97 | 93 | 90 | 83 | Cotton | 0 | 1 | 9 | 62 | 28 | |
| 50 | 33 | 44 | 36 | Pasture | 1 | 9 | 27 | 51 | 12 | |
| 72 | 58 | 70 | 54 | Soybeans | 0 | 1 | 15 | 58 | 26 | |
| 38 | 25 | 35 | 26 | Hay | 1 | 4 | 30 | 53 | 12 | |
| 30 | 7 | 30 | 25 | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | This Week Percent 95 64 97 50 72 38 | This Week Last Week Percent 95 91 64 41 97 93 50 33 72 58 38 25 | This Week Last Week 2017 Percent 95 91 95 64 41 52 97 93 90 50 33 44 72 58 70 38 25 35 | This Week Last Week 2017 5 Year Avg. Percent 95 91 95 91 64 41 52 45 97 93 90 83 50 33 44 36 72 58 70 54 38 25 35 26 | This Week Last Week 2017 5 Year Avg. Item Percent 95 91 95 91 Corn 64 41 52 45 Tobacco 97 93 90 83 Cotton 50 33 44 36 Pasture 72 58 70 54 Soybeans 38 25 35 26 Hay | This Week Last Week 2017 5 Year Avg. Item Very Poor Percent 95 91 95 91 Corn 1 64 41 52 45 Tobacco 0 97 93 90 83 Cotton 0 50 33 44 36 Pasture 1 72 58 70 54 Soybeans 0 38 25 35 26 Hay 1 | This Week Last Week 2017 5 Year Avg. Item Very Poor Poor Percent 95 91 95 91 Corn 1 4 64 41 52 45 Tobacco 0 1 97 93 90 83 Cotton 0 1 50 33 44 36 Pasture 1 9 72 58 70 54 Soybeans 0 1 38 25 35 26 Hay 1 4 | This Week Last Week 2017 5 Year Avg. Item Very Poor Poor Fair Percent 95 91 95 91 Corn 1 4 11 64 41 52 45 Tobacco 0 1 15 97 93 90 83 Cotton 0 1 9 50 33 44 36 Pasture 1 9 27 72 58 70 54 Soybeans 0 1 15 38 25 35 26 Hay 1 4 30 | This Week Last Week 2017 5 Year Avg. Item Very Poor Poor Fair Good Percent 95 91 95 91 Corn 1 4 11 50 64 41 52 45 Tobacco 0 1 15 72 97 93 90 83 Cotton 0 1 9 62 50 33 44 36 Pasture 1 9 27 51 72 58 70 54 Soybeans 0 1 15 58 38 25 35 26 Hay 1 4 30 53 | |

County Agent Comments

The farmers in Fayette County are spraying pests when they can. It has rained about every day this week in different parts of the county. Crops look good.

Jeff Via, Fayette County

It's a "Tale of Two Cities", the Haves and the Have Nots! Parts of the county can't miss a rain, and other parts can't buy a rain. Corn yields are being shaved off every day where it is dry with mid to upper 90 degree weather is cooking the corn. Soybeans are beginning to show signs of moisture stress. Crops look very good where rain is falling or irrigation rigs are running. Forage harvest continues.

Jeff Lannom, Weakley County

Some farmers started cutting tobacco.

Jeff Smith, Robertson County

Giles County received another 1.5 to 2 inches of rain this week. Pastures and crops looking very good for this time of the year.

Kevin Rose, Giles County

Another wet week. No heavy rain but enough to keep farmers out of the field.

Larry Moorehead, Moore County

1/4 inch rain this week. Corn and beans look great. Johnson grass is ready to be cut again for hay.

John Goddard, Loudon County

Recent rain has improved soil moisture.

Chris Ramsey, Sullivan County

Much needed rain this week!

James Blake Ramsey

For the last week, rainfall predictions have bypassed Davidson County, resulting in depleted topsoil and subsoil moisture levels,

David Cook, Davidson County

Most of our soybeans are blooming and some have started setting pods while the majority of corn seems to be around the R1-R2 stage. Moisture has not been lacking and consequently has been thought of as a double-edged sword; keeping machinery out of the field, but allowing unimpeded crop growth. Hay bales and pasture grasses are in good shape and abundant supply.

Matthew Deist, Marion County

TEMPERATURES AND PRECIPITATION
For week ending: July 22, 2018 (with comparisons)

| For week ending: July 22, 2018 (with comparisons) | | | | | | | | | | | | |
|---|---------------------------|------------|------------------|----------|-------------|-------------|-----------|-----------------------------|----------------|----------------|--|--|
| | TEMPERATURE PRECIPITATION | | | | | | | | | | | |
| LOCATION | | | k Ending | | Current | Rain | Current | Departure Current Departure | | | | |
| | | | 22, 2018 | | Week | Days | Since | From Normal | Since | From Normal | | |
| | HI | LO | AVG | DFN | 07/22/2018 | • | January 1 | January 1 | April 1 | April 1 | | |
| Ames_Plantation | 94 | 68 | 82 | 2 | Wes 1.16 | <u>st</u> 4 | 48.85 | 16.15 | 22.50 | 3.61 | | |
| Bolivar_Wtr_Wks | 94 | | 82 | 3 | | 2 | | 21.76 | 29.66 | 11.70 | | |
| Brownsville | 97 | 70 | 84 | 3 | | 2 | | 4.95 | 13.77 | -4.34 | | |
| Covington_3SW | 93 | 68 | 81 | 1 | | 2 | | 15.56 | | 1.04 | | |
| Dresden | 92 | | 80 | 2 | | 1 | | 5.75 | 17.95 | -0.34 | | |
| Dyersburg_Muni | 94 | | 82 | 1 | | 2 | | -7.86 | 9.92 | -7.05 | | |
| Henderson_4W | 93 | | 80 | 2 | | 3 | | 24.01 | 27.00 | 8.01 | | |
| – Huntingdon | 91 | 66 | 79 | 0 | 0.60 | 1 | 30.13 | -0.56 | 14.13 | -3.40 | | |
| Jackson_Exp_Stn | 95 | 71 | 83 | 2 | 4.99 | 3 | 52.64 | 20.83 | 27.51 | 8.93 | | |
| Lexington | 92 | 68 | 81 | 2 | 0.56 | 1 | 46.16 | 16.20 | 21.04 | 4.18 | | |
| Memphis_WFO | 96 | 70 | 83 | 2 | 0.10 | 2 | 41.53 | 10.11 | 17.22 | -0.62 | | |
| Milan_Exp_Stn | 96 | 69 | 82 | 3 | 0.38 | 1 | 47.13 | 16.04 | 21.88 | 3.60 | | |
| Paris | 90 | 66 | 77 | -1 | 0.19 | 2 | 29.91 | -0.81 | 15.59 | -2.05 | | |
| Selmer | 93 | 71 | 82 | 3 | 2.48 | 3 | 48.09 | 14.61 | 21.49 | 2.37 | | |
| Union_City | 91 | 68 | 80 | 1 | 0.02 | 1 | 33.26 | 3.11 | 13.79 | -3.74 | | |
| | | | | | Midd | le | | | | | | |
| Bethpage_1S | 92 | 64 | 78 | 0 | 2.16 | 3 | 35.20 | 3.92 | 16.68 | -1.60 | | |
| Carthage | 92 | 64 | 78 | 0 | 2.48 | 3 | 35.18 | 4.81 | 16.59 | -0.88 | | |
| Centerville_4NE | 88 | 63 | 77 | 0 | 0.67 | 2 | 32.84 | -1.17 | 15.86 | -4.17 | | |
| Cheatham_L_D | 94 | 65 | 80 | 2 | 1.10 | 1 | 35.15 | 4.97 | 18.03 | 0.17 | | |
| Clarksville OUT | 91 | 67 | 77 | -1 | 0.00 | 0 | 36.14 | 7.27 | 18.14 | 0.82 | | |
| Coalmont | 86 | 59 | 74 | 1 | 0.93 | 2 | 44.91 | 11.57 | 26.58 | 8.27 | | |
| Columbia_3WNW | 91 | | 79 | 1 | | 2 | | 4.32 | | -0.89 | | |
| Cookeville | 90 | | 77 | 0 | | 4 | | 8.54 | 23.53 | 5.24 | | |
| Crossville MEM | 86 | | 71 | -3 | 3.58 | 4 | | 13.61 | 28.80 | 10.37 | | |
| Dover_1W | 90 | | 78 | 0 | 1.28 | 2 | | 8.10 | | 5.69 | | |
| Fayetteville Wt | 92 | | 78 | -1 | | 5 | | 6.75 | 19.51 | 2.27 | | |
| Franklin | 94 | | 81 | 2 | 0.16 | 1 | | 4.50 | | 1.25 | | |
| Hohenwald | 90 | 65 | 78 | 1 | 1.73 | 2 | 44.26 | 10.79 | 21.00 | 1.95 | | |
| Jamestown | 87 | 59 | 74 | 0 | 0.71 | 3 | 37.73 | 4.70 | 21.64 | 2.48 | | |
| Kingston_Spring | 94 | 65 | 80 | 2 | 0.45 | 1 | 31.81 | 2.54 | 14.19 | -2.42 | | |
| Lobelville | 92 | 66 | 80 | 2 | 1.32 | 2 | 44.09 | 11.46 | 19.80 | 1.05 | | |
| Monteagle | 84 | 61 | 74 | -1 | 2.72 | 4 | 43.45 | 7.70 | 25.58 | 5.83 | | |
| Murfreesboro_5 | 93 | 65 | 79 | 1 | 3.54 | 3 | 35.56 | 4.24 | 18.56 | 0.70 | | |
| Nashville INTL | 94 | 69 | 81 | 2 | 0.50 | 3 | 43.44 | 15.35 | 26.07 | 9.78 | | |
| Shelbyville_Wtr | 93 | 66 | 79 | 1 | 0.63 | 3 | 34.17 | 1.08 | 16.40 | -1.65 | | |
| Sparta_WWTP | 91 | 62 | 78 | 1 | 1.16 | 2 | 41.56 | 9.65 | 23.07 | 5.57 | | |
| Springfield_Exp | 91 | 66 | 78 | 0 | | 2 | | 4.05 | 17.50 | 0.21 | | |
| Tennessee_Ridge | 91 | 67 | 79 | 1 | | 3 | | 8.01 | 17.18 | -0.74 | | |
| Tullahoma | 89 | 65 | 77 | 0 | | 2 | | 5.88 | 21.88 | 3.47 | | |
| Waynesboro | 93 | 66 | 79 | 2 | | 3 | 44.48 | 9.53 | 21.06 | 0.89 | | |
| A + la = | 00 | <i>C</i> 4 | 70 | | Eas | | 46.05 | 12.00 | 20.02 | 12.66 | | |
| Athens Bristol Tri-City | 90 87 | | 78 71 | 1 -4 | | 4 5 | | 13.80 9.31 | 29.83 20.78 | 12.66 6.43 | | |
| • | 90 | | 71 79 | -4 -1 | | 3 4 | | | 25.96 | 10.30 | | |
| Chattanooga_Lov | | | | | | | | 9.17 | | | | |
| Gatlinburg_2SW | 84 | | 73 - c | -1 | | 5 | | 7.21 | 21.29 | 1.54 | | |
| Greeneville_Exp | 92 | | 76 | 0 | | 5 | | 5.83 | 19.48 | 4.27 | | |
| Kingston_Ag | 89 | | 78 | 0 | 1.44 | 5 | | 9.11 | 21.82 | 5.17 | | |
| Knoxville_AP | 89 | | 75 76 | -3 | | 4 | | 6.01 | 20.01 | 3.98 | | |
| Lenior_City | 90 | | 76 | -3 | 2.71 | 4 | | -2.19 | 14.81 | -1.71 | | |
| Morristown_Radi | 90 | | 77 76 | 0 | | 1 | | 4.15 | 15.25 | 0.26 | | |
| Oak_Ridge | 91 | 65 56 | 76 60 | -3 1 | | 4 | | 5.46 | | 1.38 | | |
| Roan_Mtn_3SW | 80 90 | | 69 76 | 1 | | 6 | | 6.35 | 21.50 | 3.35 | | |
| Rogersville_1N Townsend_5S | 90 84 | | 76 72 | 1 0 | | 2 4 | | 5.75 -0.77 | 14.22 17.92 | -0.84 -0.96 | | |
| rownsenu_55 | ŏ4 | 59 | 12 | U | 1.50 | 4 | 32./2 | -0.// | 17.92 | -0.96 | | |

DFN = Departure from Normal (Using 1961-90 Normals Period). Rain Days = Days with precip of 0.01 inch or more during the week. Precipitation (rain or melted snow/ice) measured in inches

^{*}Notice please be advised, the Weekly Crop Progress and Condition Report's Weather Data Tables may be discontinued for budget reasons. This includes the possibility of discontinuing the weather data narratives and graphics. Please contact your local NASS Regional Field Office with comments or compliments regarding this issue. The Weekly Crop Progress and Condition Report's Crop Progress and Condition data will remain and be available.*