

**Table 7. Yields of eight Late Maturity Group III (3.6 - 3.9) Roundup Ready / Dicamba tolerant soybean varieties in three County Standard Tests in Tennessee during 2022<sup>‡</sup>.**

MS† Avg. Yield	Variety	Avg. Yield <sup>§</sup> (bu/acre)	Avg. Moisture (%)	Gibson 5/12	Madison 5/18	Weakley 5/17
A	Asgrow 37XF1	69.3	10.4	84	<u>52</u>	71
A	Dyna-Gro S38XF22S	68.0	10.9	<b>88</b>	42	74
A	Revere LS3908XFS*	68.0	10.8	84	50	70
AB	NK 39-M8XF	63.7	10.8	63	48	<b>81</b>
AB	Asgrow 38XF1*	63.6	11.1	76	41	74
AB	Asgrow 35XF1	61.0	10.9	72	51	60
AB	Armor 39-F73	59.7	11.3	76	29	74
B	USG 7392XFS	52.2	11.0	70	32	54
<b>Average</b>		<b>63.2</b>	<b>10.9</b>	<b>76.6</b>	<b>43.1</b>	<b>69.9</b>

‡ Data Provided by Ryan Blair, Ext. Area Specialist, Grain and Cotton Variety Testing, and Extension agents in counties shown above.

† Varieties that have any MS letter in common are not significantly different at the 5% level of probability. Values highlighted in light orange are above average for a given trait, MS letters highlighted in dark orange are in the "A group", indicating no statistical difference from the top-performing variety, for a given trait.

\* Asterisks after a name indicate the number of preceding consecutive years in the top-performing "A" group.

§ All yields are adjusted to 13% moisture.

County Locations include: Gibson, Madison, and Weakly

