

Table 13. Yields of 9 Maturity Group IV Early (4.0-4.5) Enlist tolerant soybean varieties in six Count in Tennessee during 2022[‡].

MS†	Avg. Yield	Variety	Avg. Yield [§] (bu/acre)	Avg. Moisture (%)	Calloway	Fayette	Franklin	Henry
					6/20	6/13	5/9	5/10
A		Stine 41EE62	66.6	11.0	80	73	57	74
AB		NK 44-Q5E3S	65.5	10.7	76	63	54	72
AB		DynaGro S41EN72	64.9	11.0	77	58	49	81
AB		NK 39-T6E3S	64.6	11.1	76	69	59	67
ABC		NK 45-V9E3*	63.0	10.8	69	54	62	73
ABC		DynaGro S45ES10	62.0	10.6	75	46	50	78
BC		Stine 41EB32	59.3	10.8	69	62	48	69
BC		Stine 44EC20	58.8	10.9	68	54	44	69
C		Stine 42EE22	57.3	11.0	61	58	60	56
Average			62.4	10.9	72.4	59.7	53.7	71.0

‡ Data Provided by Ryan Blair, Ext. Area Specialist, Grain and Cotton Variety Testing, and Extension agents in counties shown at

† Varieties that have any MS letter in common are not significantly different at the 5% level of probability. Values highlighted in light orange are in the "A" group, indicating no statistical difference from the top average for a given trait, MS letters highlighted in dark orange are in the "A group", indicating no statistical difference from the top average for a given trait.

* Asterisks after a hybrid name indicate the number of preceding consecutive years in the top-performing "A" group.

§ All yields are adjusted to 13% moisture.

County Locations include: Calloway Ky, Fayette, Franklin, Henry, Madison, and Smith.

Standard Tests

Madison	Smith
5/18	5/12
49	66
59	68
58	68
53	63
53	67
55	69
40	68
55	62
45	64
51.9	66.0

above.

at orange are above
-performing variety, for